## Dome Series

# Intelligent Camera

**ICD-3516-L**

## Features

- Hi3516ev200 + GC2053, Low LUX, Infrared Distance 30M.
- Support Humanoid Detection
- H.264/H.265, Onvif Protocol
- RJ45 10M/100M Network self adaptive control
- Audio in/out, G.711 / 64Kbps (Optional)
- PoE Power Supply (Optional)

## Dome Series

# Intelligent Camera

**ICD-3516-S**

## Features

- Hi3516ev200 + IMX307, STARVIS, Infrared Distance 30M
- Support Humanoid Detection
- H.264/H.265, Onvif Protocol
- RJ45 10M/100M Network self adaptive control
- Audio in/out, G.711 / 64Kbps (Optional)
- PoE Power Supply (Optional)

XTEND INDONESIA
GLOBAL LEADING AI TECH COMPANY

www.xtendindonesia.co.id

## Dome Series

# Intelligent Camera

**ICD-3516-SX**

## Features

- Hi3516cv500 + IMX327, STARVIS, Infrared distance 30M
- Support Face Capture Comparison, Face Database 10000
- H.264/H.265, Onvif Protocol
- RJ45 10M/100M Network Self Adaptive Control, G711u / 64 Kbps
- Audio in/out, G.711 / 64Kbps (Optional)
- PoE Power Supply (Optional)